



Rental Equipment & Supply Catalogue

LHIN Contract



Windsor 519.252.2011 | 5923 Tecumseh Road East, N8T 1E4

Chatham 519.358.7096 | 785 St. Clair Street, N7L 0E9






Sarnia 519.336.7781 | 1000 Finch Drive, N7S 6G5

Index

1 Mobility Equipment	3
2 Lifting & Transfer Equipment	13
3 Bathroom Equipment	19
4 Bedroom Aids	24
5 Respiratory Equipment & Supplies	27
6 Feeding Machines & Supplies	29
7 Suction Machines & Supplies	32






Mobility Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2000	QUAD CANE (LARGE BASE)	<ul style="list-style-type: none"> Adjustable height: 30" - 39" Weight capacity: 300 lbs. 	
2005	QUAD CANE (SMALL BASE)	<ul style="list-style-type: none"> Adjustable height: 30" - 39" Weight capacity: 300 lbs. 	
2105	WALKER	<p>Walker-hemi</p> <p>Please specify handle height in order notes.</p> <ul style="list-style-type: none"> Overall dimensions: 18.5"W x 16"d Height adjustable: 28.5" - 35.5" Weight capacity: 300 lbs. 	
2100	WALKER (BARIATRIC)	<p>Please specify handle height in order notes.</p> <ul style="list-style-type: none"> Non folding extra wide Adult 33-37" Adjustable height: 33" - 36" Width between grips: 22" For patients approximately 5'3" - 6' Weight capacity: 500 lbs. 	
2140	WALKER	<p>Please specify handle height in order notes.</p> <ul style="list-style-type: none"> Folding adult 33-37" 17" inside hand grip 19" inside back legs Overall width: 22" Adjustable height: 32" - 39" Weight capacity: 300 lbs. 	






Mobility Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2155	WALKER	<p>Please specify handle height in order notes.</p> <ul style="list-style-type: none"> • Folding junior 29-33" • 17" Inside hand grip • 19" Inside back legs • Overall width: 22" • Adjustable height: 25" - 32" • Weight capacity: 300 lbs. 	
2145	WALKER	<p>Please specify handle height in order notes.</p> <ul style="list-style-type: none"> • Folding adult • With gliders 33-37" • With fixed front wheels • 5" Caster wheels • 17" Inside hand grip 18.75" Inside back legs • Overall width: 24" • Adjustable height: 28.75" - 38.5" • Weight capacity: 300 lbs. 	
2160	WALKER	<p>Please specify handle height in order notes.</p> <ul style="list-style-type: none"> • Folding junior • With gliders 29-33" • With fixed front wheels • 5" caster wheels • 17" inside hand grip • 18.75" inside back legs • Overall width: 24" • Adjustable height: 28.75" - 38.5" • Weight capacity: 300 lbs. 	
2150	WALKER	<p>Please specify handle height in order notes.</p> <ul style="list-style-type: none"> • Folding adult 2 wheeled 33-37" • With 5" swivel wheels • 17" inside hand grip • 19" inside back legs • Overall width: 22" • Adjustable height: 32" - 39" • Weight capacity: 300 lbs. 	
2165	WALKER	<p>Please specify handle height in order notes.</p> <ul style="list-style-type: none"> • Folding junior 2 wheeled 29-33" • With 5" swivel wheels • 17" inside hand grip • 19" inside back legs • Overall width: 22" • Weight capacity: 300 lbs. 	






Mobility Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2200-L	WALKER FOREARM GUTTER/TROUGH (LEFT ARM)	<ul style="list-style-type: none"> • Adjustable handgrip 12" above walker height • Client weight not to exceed weight capacity of walker • Weight capacity: 300 lbs. 	
2200-R	WALKER FOREARM GUTTER/TROUGH (RIGHT ARM)	<ul style="list-style-type: none"> • Adjustable handgrip 12" above walker height • Client weight not to exceed weight capacity of walker • Weight capacity: 300 lbs. 	
0287	TYPE 3 ROLLATOR WALKER	<ul style="list-style-type: none"> • Sideways folding • Super low 8" wheels • Adjustable handle height: 29" - 33" • Distance between handles: 17.5" • Overall width: 25" • Fixed seat height: 18.5" • Max weight capacity: 3 00 lbs. 	
0288	TYPE 3 ROLLATOR WALKER	<ul style="list-style-type: none"> • Sideways folding • Low 8" wheels • Adjustable handle height: 31.5" - 35.5" • Distance between handles: 17.5" • Overall width: 25" • Fixed seat height: 21" • Max weight capacity: 300 lbs. 	
0289	TYPE 3 ROLLATOR WALKER	<ul style="list-style-type: none"> • Sideways folding • Standard 8" wheels • Adjustable handle height: 35.5" - 38.5" • Distance between handle: 17.5" • Overall width: 25" • Fixed seat height: 24" • Max weight capacity: 300 lbs.. 	






Mobility Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
0290	TYPE 3 MAXI + LOW HEAVY ROLLATOR WALKER	<ul style="list-style-type: none"> • 8" Wheels • Adjustable handle height: 29" - 35" • Distance between handles: 21.5" • Overall width: 27.5" • Fixed seat height: 19" • Max weight capacity: 400 lbs. 	
0356	TYPE 3 MAXI + LSTANDARD HEAVY ROLLATOR WALKER	<ul style="list-style-type: none"> • 8" Wheels • Adjustable handle height: 29" - 35" • Distance between handles: 21.5" • Overall width: 27.5" • Fixed seat height: 22" • Max weight capacity: 400 lbs. 	
2400	WHEELCHAIR	<ul style="list-style-type: none"> • Companion 17" • Folding removal arm/leg rests • Seat height: 19" • Solid 8" caster wheels • Product weight: 20.5 Lbs. • Weight capacity: 250 lbs. 	
2405	WHEELCHAIR	<ul style="list-style-type: none"> • Companion 19" • Folding removal arm/leg rests • Seat height: 19" • Solid 8" caster wheels • Product weight: 20.5 Lbs. • Weight capacity: 250 lbs. 	
2414	WHEELCHAIR	<ul style="list-style-type: none"> • Wheelchair (manual) 14" • Swingaway footrests with tool free Height adjustment and calf strap • Seat height: 19" • Product weight: 37 lbs. • Weight capacity: 150 lbs. 	






Mobility Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2410	WHEELCHAIR	<p>Wheelchair (manual) 16"</p> <ul style="list-style-type: none"> • With anti-tippers, swing-away foot rests, and detachable full arm rests • Seat height: 17.5" - 19.5" • Product weight: 40 lbs. • Weight capacity: 300 lbs. 	
2415	WHEELCHAIR	<p>Wheelchair (manual) 18"</p> <ul style="list-style-type: none"> • With anti-tippers, swing-away foot rests, and detachable full arm rests • Seat height: 17.5" - 19.5" • Product weight: 41 lbs. • Weight capacity: 300 lbs. 	
2420	WHEELCHAIR	<p>Wheelchair (manual) 20"</p> <ul style="list-style-type: none"> • With anti-swing-away foot rests and detachable full arm rests • Seat height: 17.5" - 19.5" • Product weight: 42 lbs. • Weight capacity: 300 lbs. 	
2425	WHEELCHAIR	<p>Wheelchair (manual) 22"</p> <ul style="list-style-type: none"> • With anti-tippers, swing-away foot rests, and detachable full arm rests • Seat height: 17.5" - 19.5" • Product weight: 57 lbs. • Weight capacity: 450 lbs. 	
2210	WHEELCHAIR AMPUTEE BOARD	<p>Wheelchair amputee board 16"x16"</p> <p>Please specify if 2 stump cushions are required in order notes.</p> <ul style="list-style-type: none"> • Can use right and/or left side • One foam stump cushion included 	


Mobility Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
0357	WHEELCHAIR	<p>Wheelchair amputee board 18"x18" Please specify if 2 stump cushions are required in order notes.</p> <ul style="list-style-type: none"> • Can use right and/or left side • One foam stump cushion included 	
2245-L	WHEELCHAIR (LEFT)	<p>Wheelchair leg rest elevating Not suitable for companion wheelchairs.</p> <ul style="list-style-type: none"> • Articulating leg rest for manual wheelchairs • Overall length: 19" – 26.5" 	
2245-R	WHEELCHAIR (RIGHT)	<p>Wheelchair leg rest elevating Not suitable for companion Wheelchairs</p> <ul style="list-style-type: none"> • Articulating leg rest for manual wheelchairs • Overall length: 19" – 26.5" 	
2225	WHEELCHAIR ACCESSORY	<p>Wheelchair seat belt Delivery only as installation is required.</p> <ul style="list-style-type: none"> • Auto style closure nylon belt • Fits waist size up to 48" • Not restricted by weight limit 	
2800-S	CUSHION	<p>Gel cushion</p> <ul style="list-style-type: none"> • 16"x16" each • Includes cushion cover • Not restricted by weight limit 	

Mobility Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2800-L	CUSHION	<p>Gel cushion</p> <ul style="list-style-type: none"> • 18"x18" each • Includes cushion cover • Not restricted by weight limit 	
2805-S	ROHO CUSHION (HIGH PROFILE 4")	<p>Dry floatation cushion 16"x16" each</p> <ul style="list-style-type: none"> • Includes cushion cover and pump • Not restricted by weight limit but Cushion must be properly sized by Health care provider to the individual • Pump must be returned with cushion, or client will be charged \$15. 	
2805-L	ROHO CUSHION (HIGH PROFILE 4")	<p>Dry floatation cushion (deliver with pump)</p> <ul style="list-style-type: none"> • 18"x18" each • Not restricted by weight limit but cushion must be properly sized by health care provider to the individual • Pump must be returned with cushion, or client will be charged \$15. 	
2805-SLP	ROHO CUSHION - LOW PROFILE 2"	<p>Dry floatation cushion (deliver with pump)</p> <ul style="list-style-type: none"> • 16"x16" each • Includes cushion cover and pump • Not restricted by weight limit but cushion must be properly sized by health care provider to the individual • Pump must be returned with cushion, or client will be charged \$15. 	
2805-LLP	ROHO CUSHION - LOW PROFILE 2"	<p>Dry floatation cushion (deliver with pump)</p> <ul style="list-style-type: none"> • 18"x18" each • Includes cushion cover and pump • Not restricted by weight limit but cushion must be properly sized by health care provider to the individual • Pump must be returned with cushion, or client will be charged \$15. 	

Mobility Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2800-F	CUSHION	Foam cushion • 14"x14" each • Cover material: fluid-resistant stretch top • Waterproof vinyl bottom • Cushion material: aerated foam • Weight capacity: 250 lbs.	
0271	CUSHION	Foam cushion • 16"x16" each • Cover material: fluid-resistant stretch top • Waterproof vinyl bottom • Cushion material: aerated foam • Weight capacity: 250 lbs.	
0272	CUSHION	Foam cushion • 18"x16" each • Cover material: fluid-resistant stretch top • Waterproof vinyl bottom • Cushion material: aerated foam • Weight capacity: 250 lbs.	
0273	CUSHION (BARIATRIC)	Foam cushion • 22"x20" each • Cover material: fluid-resistant stretch top • Waterproof vinyl bottom • Cushion material: aerated foam • Weight capacity: 400 lbs.	
2600-1	RAMP-WHEELCHAIR	Ramp • Wheelchair • Folding or telescopic • Minimum 32"W and 6'L • Folded dimensions: 36" x 14.5" x 6.3" • Product weight: 39 lbs. • Weight capacity: 600 lbs.	


Mobility Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2600-2	RAMP - WHEELCHAIR	Ramp • Wheelchair • Folding or telescopic • Minimum 32"W and 8'L • Folded dimensions: 48" x 14.5" x 6.3" • Product weight: 54 lbs. • Weight capacity: 600 lbs.	
2600-3	RAMP - WHEELCHAIR	Ramp • Wheelchair • Folding or telescopic • Minimum 32"W and 10'L • Folded dimensions: 60" x 14.5" x 6.3" • Product weight: 66 lbs. • Weight capacity: 600 lbs.	
2600-4	RAMP - WHEELCHAIR	Ramp • Wheelchair • Folding or telescopic • Minimum 32"W and 12'L • Folded dimensions: 74.75" x 16" x 9.42" • Product weight: 54 lbs. • Weight capacity: 600 lbs.	
2600-5	RAMP - WHEELCHAIR	Ramp • Wheelchair • Threshold • Minimum 32" width and rise 3.75" - 4.25" • Ramp size: 30" W x 36" L • Weight capacity: 600 lbs.	
2600-6	RAMP - WHEELCHAIR	Ramp • Wheelchair • Threshold • Minimum 32" width and rise 4.75" - 5.25" • Ramp size: 30" W x 36" L • Weight capacity: 600 lbs.	






Mobility Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2600-7	RAMP - WHEELCHAIR	Ramp <ul style="list-style-type: none"> • Wheelchair • Threshold • Minimum 32" width and rise 5.75" - 6.25" • Dimensions: 34" W x 32.75" D x 6" H • Product weight: 20 lbs. • Weight capacity: 700 lbs. 	






Lifting & Transfer Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2700	LIFT	Lift • U base mechanical	
2705	LIFT	Lift Not suitable for client pick up, delivery only. • Electric patient lift • Base dimensions: 4.5"H • Under-bed clearance, 41"W open, 26.5"W closed, 48"L • Casters: 3" front, 5" rear locking • Emergency controls: stop and down • Product weight: 106 lbs. • Weight capacity: 450 lbs.	
0274	TRANSPORT SLING	Sling • Standard sit to stand sling 44"W x 16"L • Waist belt: 60" • Material: polyester nylon • Dimensions: 44"W x 16"L • Waist belt: 60" • Weight capacity: 350 lbs.	
0275	TRANSPORT SLING	Sling • Standard sit to stand sling 58"W x 16"L • Waist belt: 84"	
0276	TRANSPORT SLING	Standard split leg w/ head support • For use with mechanical lift (2700) small • Material: polyester nylon • Dimensions: 58"W x 16"L • Waist belt: 84" • Weight capacity: 440 lbs.	



Lifting & Transfer Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
0277	TRANSPORT SLING	Standard split leg with head support • For use with mechanical lift (2700) medium • Material: polyester • Overall length: 62.8" • Back length: 35.7" • Overall width: 37.5" • Weight capacity: 450 lbs.	
0278	TRANSPORT SLING	Standard split leg with head support • For use with mechanical lift (2700) large • Material: polyester • Overall length: 67.8" • Back length: 41.7" • Overall width: 41" • Weight capacity: 450 lbs.	
0279	TRANSPORT SLING	Standard split leg with head support • For use with mechanical lift (2700) extra-large • Material: polyester • Overall length: 72.3" • Back length: 43.2" • Overall width: 44.5" • Weight capacity: 450 lbs.	
2740-XLG	SLING (UNIVERSAL XLARGE)	Sling • Material: spacer mesh fabric • Overall length: 63" • Overall width: 46.9" • Weight capacity (xl): 550 lbs.	
2740-LG	SLING (UNIVERSAL LARGE)	Sling • Material: spacer mesh fabric • Overall length: 61.2" • Overall width: 44.1" • Weight capacity: 500 lbs.	




Lifting & Transfer Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2740-MED	SLING (UNIVERSAL MEDIUM)	<p>Sling</p> <ul style="list-style-type: none"> • Material: spacer mesh fabric • Overall length: 56.1" • Overall width: 39.4" • Weight capacity: 500 lbs. 	
2740-SM	SLING (UNIVERSAL SMALL)	<p>Sling</p> <ul style="list-style-type: none"> • Material: polyester nylon • Dimensions: 58"(w) x 16"(l) • Waist belt: 84" • Weight capacity: 440 lbs. 	
0280	FULL BODY MESH SLING (MEDIUM)	<p>Full body mesh sling</p> <ul style="list-style-type: none"> • With head, neck, and partial under thigh support • For use with mechanical lift • Material: mesh polyester • Overall length: 54.7" • Overall width: 41.5" • Weight capacity: 450 lbs. 	
0281	FULL BODY MESH SLING (LARGE)	<p>Full body mesh sling</p> <ul style="list-style-type: none"> • With head, neck, and partial under thigh support • For use with mechanical lift • Material: mesh polyester • Overall length: 60.5" • Overall width: 45.5" • Weight capacity: 450 lbs. 	
0282	FULL BODY MESH SLING (XXLARGE)	<p>Full body mesh sling</p> <ul style="list-style-type: none"> • With head, neck, and partial under thigh support • For use with mechanical lift • Material: mesh polyester • Overall length: 55" • Overall width: 45" • Product weight capacity: 600 lbs. 	






Lifting & Transfer Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2745	SUPER POLE WITH HORIZONTAL BAR	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • Bar pivots and locks every 45 degrees • For use with standard 8 foot high (93"-100") ceilings; stucco, drop or tile ceilings are not appropriate surfaces • Please advise the client that these are tension mounted poles, and there may be some damage to the ceiling or floor. The alternative is to screw it to the ceiling joists. • Health care provider to place a piece of tape at Desired install location • Weight capacity: 300 lbs. <p>Extension must be ordered for ceilings over 8-ft. high (use code 0298)</p>	
2750	SUPER POLE (STANDARD)	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • Bar pivots and locks every 45 degrees • For use with standard 8 foot high (93"-100") ceilings; stucco, drop or tile ceilings are not appropriate surfaces • Please advise the client that these are tension mounted poles, and there may be some damage to the ceiling or floor. The alternative is to screw it to the ceiling joists. • Health care provider to place a piece of tape at Desired install location • Weight capacity: 300 lbs. <p>Extension must be ordered for ceilings over 8-ft. high (use code 0298)</p>	
2770	SUPER POLE (BARIATRIC)	<ul style="list-style-type: none"> • Bar pivots and locks every 45 degrees • For use with standard 8 foot high (93"-100") ceilings; stucco, drop or tile ceilings are not appropriate surfaces • Please advise the client that these are tension mounted poles, and there may be some damage to the ceiling or floor. The alternative is to screw it to the ceiling joists. • Health care provider to place a piece of tape at Desired install location • Weight capacity: 450 lbs. <p>Extension must be ordered for ceilings over 8-ft. high (use code 0298)</p>	



Lifting & Transfer Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2754	SUPER POLE WITH HORIZONTAL BAR (BARIATRIC)	<ul style="list-style-type: none"> • Not suitable for client pick up, delivery only. • Weight capacity: 450lbs • Bar pivots and locks every 45 degrees • Heavy duty model can only be used in applications with standard 8-ft. high (93"-100") ceilings • Health care provider to place a piece of tape at desired install location • Please advise the client that these are tension mounted poles, and there may be some damage to the ceiling or floor. 	
2755	TRANSFER SLIDE BOARD	<ul style="list-style-type: none"> • Product Size: 24"L • Wood with Cut Out Handles • Weight Capacity: 250 lbs. 	
3166	TRAPEZE BAR (FREESTANDING)	<p>Trapeze bar with stand</p> <ul style="list-style-type: none"> • Dimensions: 72"H x 31"W x 51"D • Inside width between legs: 26" • Outside width between legs: 31" • Boom length: 37" • Product weight: 74 lbs. • Weight capacity: 250 lbs. 	
0355	TRANSFER BELT (SMALL)	<p>Training for proper use will be provided by OT or care coordinator.</p> <ul style="list-style-type: none"> • Waist size: 24" - 30" • Pad width: 5.5" With four handle loops • Side release buckle • Not restricted by weight limit 	
0310	TRANSFER BELT (MEDIUM)	<p>Training for proper use will be provided by OT or care coordinator.</p> <ul style="list-style-type: none"> • Waist size: 28" - 48" • Pad width: 5.5" with four handle loops • Side release buckle • Not restricted by weight limit 	







Lifting & Transfer Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
0296	TRANSFER BELT (LARGE)	<p>Training for proper use will be provided by Occupational Therapist or Care Coordinator.</p> <ul style="list-style-type: none"> • Waist size: 40" - 64" • Pad width: 5.5" With four handle loops • Side release buckle • Not restricted by weight limit 	
0107	EZ TURN TRANSFER DISC	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • Adjustable height: 30" – 40" • Adjustable knee supports • Anti-slip surface to assist with patient transfer • Weight capacity: 300 lbs. 	





Bathroom Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
2905	BATH SEAT (NO BACK ADJ)	<ul style="list-style-type: none"> Adjustable height: 15.5" - 19.5" Dimensions (outside legs): 19.5"W x 19.5"D Weight capacity: 315 lbs. 	
2910	BATH SEAT (WITH BACK ADJ)	<ul style="list-style-type: none"> Adjustable height: 15.5" - 19.5" Dimensions (outside legs): 19.5"W x 19.5"D Weight capacity: 315 lbs. 	
0294	BATH SEAT WITH ARMS STANDARD	<ul style="list-style-type: none"> Dimensions (outside legs): 17.75"W x 19.25"D Seat dimensions: 16"W x 14.5"D Width between arms: 18.5" Weight capacity: 300 lbs. 	
0245	BATH SEAT ROUND	<ul style="list-style-type: none"> Adjustable height: 13.5" - 21" Dimensions (outside legs): 12.5"W x 12.5"D Seat dimensions: 13"W x 13"D Weight capacity: 300 lbs. 	
0268	BATH SEAT (HEAVY DUTY WITH BACK ADJ)	<ul style="list-style-type: none"> Adjustable seat height: 16" - 20" Dimensions outside legs: 22"W x 18.75"D Seat dimension: 17.25"W x 16"D Weight capacity: 600 lbs. 	
0269	BATH SEAT (HEAVY DUTY WITH NO BACK ADJ)	<ul style="list-style-type: none"> Adjustable seat height: 16" - 20" Dimensions outside legs: 17"W x 14"D Seat dimensions: 21"W x 16"D Weight capacity: 600 lbs. 	






Bathroom Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
0190	CLAMP-ON TUB RAIL/BAR (METAL)	<p>Some acrylic tubs may crack with the pressure of the clamp and may damage the tub.</p> <ul style="list-style-type: none"> • Not for use with fiberglass tubs • Weight capacity: 300lbs • Fits bathtub side walls from 3"-7" w • Height: 14.5" • Health care provider to place a piece of tape at desired install location 	
0190-1	CLAMP-ON TUB RAIL/BAR (PLASTIC)	<p>Some acrylic tubs may crack with the pressure of the clamp and may damage the tub.</p> <ul style="list-style-type: none"> • Not for use with fiberglass tubs • Weight capacity: 300lbs • Fits bathtub side walls 2.75" - 6.5"W • Height: 16.5" • Health care provider to place a piece of tape at desired install location 	
2900	BATH TRANSFER BENCH (BARIATRIC)	<p>Please specify on order handle on left or right.</p> <ul style="list-style-type: none"> • Adjustable height: 18.5" - 23.5" • Outside legs: 32.5"W x 24"D • Seat dimensions: 26.5"W x 16.5"D • Weight capacity: 600 lbs. 	
2915	BATH TRANSFER BENCH (UNPADDED)	<p>Please specify on order handle on left or right.</p> <ul style="list-style-type: none"> • Adjustable height: 17.5" - 22.5" • Outside legs: 32"W x 23"D • Seat dimensions: 26"W x 18.5"-19.5"D • Weight capacity: 300 lbs. 	

Bathroom Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
0029	BATH TRANSFER BENCH (PADDED)	<p>Please specify on order handle on left or right.</p> <ul style="list-style-type: none"> • Weight capacity: 300 lbs. • Adjustable height: 17.75"-21.75" • Dimensions outside legs 27.5"W x 16.5"D • Seat dimensions: 24"W x 16"D 	
2920	TRANSFER BATH BOARD	<p>Bath board (plastic)</p> <ul style="list-style-type: none"> • Dimensions: 14.5"W x 30.5"L • Weight capacity: 250 lbs. 	
0172	TUB TRANSFER BENCH LEG EXTENSIONS	<ul style="list-style-type: none"> • Ordered as a set of four • Cannot be ordered with code 2900 bariatric • Can only be ordered with 2915 and 0029 • 12" Length • Adds up to 3" to the height of transfer bench 	
3000	COMMODE	<ul style="list-style-type: none"> • No wheels • Adj. Height • Width: 18" between arms • 25.75" Outside • Seat dimensions: 13.75"W x 16.5"D • Adjustable height: 16" - 21.75" • Weight capacity: 350 lbs. 	
3010	COMMODE (HEAVY DUTY)	<p>Commode stationary wide</p> <ul style="list-style-type: none"> • Width: 23" between arms • 27" Outside • Seat dimensions: 23.25"W x 18.5"D • Adjustable height: 15.5" - 22" • Weight capacity: 450 lbs. • Includes pail (splash guard not compatible) 	

Bathroom Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
3005	COMMODE	<p>Commode wheeled</p> <ul style="list-style-type: none"> • Can be positioned over standard toilet or used as portable commode • Wing away footrests • Weight capacity: 275 lbs. • Height adjustable seat to floor: 20"-22" • Dimensions overall: 22.25"W x 34.5"L x 39"-41"H • Four locking casters • Seat to floor height: 22.25" • Seat width: 18.5" 	
3015	COMMODE	<ul style="list-style-type: none"> • Stationary • Drop arm • Width: 19.75" Between arms • 23.5" Outside • Seat dimensions: 13.75"(W) x 16.5"(D) • Adjustable height: 20" - 24" • Weight capacity: 300 lbs. 	
3020	RAISED TOILET SEAT (RIGHT)	<p>Raised toilet seat</p> <ul style="list-style-type: none"> • With leg cut out • Height: 5 1/2" • Weight capacity: 250 lbs. 	
3020-1	RAISED TOILET SEAT (LEFT)	<p>Raised toilet seat</p> <ul style="list-style-type: none"> • With leg cut out • Height: 5 1/2" • Weight capacity: 250 lbs. 	
3025-2	RAISED TOILET SEAT	<p>Raised toilet seat with clamps 2"</p> <ul style="list-style-type: none"> • Seat dimensions: 14"W x 16"D • Weight capacity: 400 lbs. 	

Bathroom Equipment

Product may not be exactly as shown

LHIN Code	Item	Description	Image
3025-4	RAISED TOILET SEAT	<p>Raised toilet seat with clamps 4"</p> <ul style="list-style-type: none"> • Seat dimensions: 14"W x 16"D • Weight capacity: 400 lbs. 	
1023	TOILET SEAT ELEVATOR (ELONGATED)	<p>Toilet seat elevator 3.5"</p> <ul style="list-style-type: none"> • Weight capacity: 250lbs • Product dimensions: 3.5"H x 14"W x 19.25"D • Fits onto most elongated toilets • To be used with original toilet seat, secured in place with bolts 	
1023-1	TOILET SEAT ELEVATOR (ROUND)	<p>Toilet seat elevator 3.5"</p> <ul style="list-style-type: none"> • Weight capacity: 250 lbs. • Product dimensions: 3.5"H x 13.5"W x 17.5"D • Fits onto most round toilets • To be used with original toilet seat, secured in place with bolts 	
3030	VERSA FRAME	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • Adjustable height: 26" - 31" • Height adjustable armrests: 26" - 31" • Width adjustment between armrests: 8" - 24" • Overall depth: arm 16.75"; Leg 12" • Weight capacity: 250 lbs. 	
0270	VERSA FRAME (NO LEGS)	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • Width between arms: 16.5" - 19.5" • Width adjustable handles: 16" - 18" • Weight capacity: 300 lbs. • Allows individuals to sit or stand 	

Bedroom Aids

Product may not be exactly as shown

LHIN Code	Item	Description	Image
3120	HOSPITAL BED (ELECTRIC WITH MATTRESS)	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • Dimensions 36"W x 88"L • Mattress cover provided at N/C • Weight capacity: 450 lbs. • Includes occupant, mattress, side rails, trapeze, Accessories, personal affects, etc.) • Bed rails ordered separately (use code: 3125-F or 3125-S) 	
3120-B	HOSPITAL BED (BARIATRIC)	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • 42" with parital rails and mattress • Weight capacity: 600 lbs. • Dimensions: 42"W x 88"L • Sleep surface 80"L • Bed height: 18.25" - 26.25" 	
3125-F	HOSPITAL BED RAIL (FULL)	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • Overall rail length: 55" • Overall height: 14.5" • Overall width between rails: 36" 	
3125-S	HOSPITAL BED RAIL (SPLIT)	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • To be used with hospital style bed • Dimensions: 37"L x 19"H • Welded steel construction 	
3110	BED RAIL ASSIST (FIXED)	<p>Not suitable for hospital style bed.</p> <ul style="list-style-type: none"> • Please indicate mattress size on order notes • Safety strap secures rail to bedframe • Suitable for single, twin, double, queen or king size bed • Dimensions: 11.5"W x 20.75"H x 21.5"(D) • Weight capacity: 250 lbs. 	

Bedroom Aids

Product may not be exactly as shown

LHIN Code	Item	Description	Image
3115	BED RAIL ASSIST (ADJUSTABLE)	<p>Not suitable for hospital style bed.</p> <ul style="list-style-type: none"> • Please indicate mattress size on order notes • Safety strap secures rail to bedframe • Suitable for single, twin, double, queen or king size bed • Weight capacity: 250 lbs. 	
3130	BED RAIL (M RAIL)	<p>Not suitable for hospital style bed.</p> <ul style="list-style-type: none"> • Please indicate mattress size on order notes • Safety strap secures rail to bedframe • Suitable for single, twin, double, queen or king size bed • Weight capacity: 300 lbs. 	
3105	MATTRESS (ALTERNATING AIR MATTRESS)	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • To be used with hospital style bed • Pressure range: 30-80 mmHg • Cycle time: 10 minutes • Mattress dimensions: 80"(l) x 36"(w) x 8"(d) • Power cord: 10 ft. • Weight capacity: 350 lbs. 	
0283	V2 MATTRESS REPLACEMENT	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • To be ordered by OT referral only • To be used with hospital style bed • Comes with 1 roho insert • To be used with hospital style bed • Dimensions: 36"W x 80"L x 6"H • Comes with 1 roho insert • Mattress weight capacity: 300 lbs. (up to 350 lbs. with the use of Roho mattress section) 	
0284	V2 MATTRESS REPLACEMENT	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • To be ordered by OT referral only • To be used with hospital style bed • Dimensions: 36"W x 80"L x 6"H • Comes with 2 roho inserts • Weight capacity: 300 lbs. (up to 350 lbs. with the use of roho mattress sections) 	

Bedroom Aids

Product may not be exactly as shown

LHIN Code	Item	Description	Image
3100	MATTRESS (ALTERNATING AIR OVERLAY)	<p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • Inflates to approximately 31"W x 74"L x 1 1/2"D • 10-Foot long power cord • Pressure range: 50-105 mmHg • To be used with hospital style bed • Weight capacity: 250 lbs. 	
3145	MATTRESS (SILICONE OVERLAY)	<ul style="list-style-type: none"> • Hospital bed size: 76" x 36" • Mattress cover provided at N/C • Not restricted by weight limit 	
3135	OVERBED TABLE	<ul style="list-style-type: none"> • Height adjustable: 28" - 45" • Base dimensions: 15.5"D x 26.5"W • Tabletop surface dimensions: 15"D x 30"W • Weight capacity: 40 lbs. 	
3166	TRAPEZE BAR (FREESTANDING)	<p>Trapeze bar with stand</p> <p>Not suitable for client pick up, delivery only.</p> <ul style="list-style-type: none"> • Dimensions: 72"H x 31"W x 51"D • Inside width between legs: 26" • Outside width between legs: 31" • Boom length: 37" • Product weight: 74 lbs. • Weight capacity: 250 lbs. 	

Respiratory Equipment & Supplies

Product may not be exactly as shown

LHIN Code	Item	Description	Image
3205	JET NEBULIZER COMPRESSOR AEROSOL	<ul style="list-style-type: none"> • For inhalation therapy • Must order supply kit NU01 or NU02 	
NU01	NEBULIZER SUPPLIES	<p>AEROSOL KIT (Adult)</p> <p>Includes:</p> <ul style="list-style-type: none"> • Ventilator • Mask • Connective tubing 	
NU02	NEBULIZER SUPPLIES	<p>AEROSOL KIT (Paediatric)</p> <p>Includes:</p> <ul style="list-style-type: none"> • Ventilator • Mask • Connective tubing 	
3210	HIGH HUMIDITY COMPRESSOR	<ul style="list-style-type: none"> • Compressor (High Humidity For Trach Or Oral) • For Inhalation Therapy • Must order supply kit NU00-A or NU00-P • Must order NU08 distilled water separately 	
NU00-A	HIGH HUMIDITY TRACH KIT (ADULT)	<p>High Humidity Trach Kit</p> <ul style="list-style-type: none"> • To be used with equipment 3210 <p>Includes</p> <ul style="list-style-type: none"> 1- Jet Nebulizer - Adult, LHIN Code NU03 1- Trach Mast - Adult LHIN Code NU05 1- Corrugated Tubing LHIN Code NU07 	






Respiratory Equipment & Supplies

Product may not be exactly as shown

LHIN Code	Item	Description	Image
NU00-P	HIGH HUMIDITY TRACH KIT (PAEDIATRIC)	<p>High Humidity Trach Kit - Paediatric</p> <ul style="list-style-type: none"> • To be used with equipment 3210 <p>Includes:</p> <ul style="list-style-type: none"> 1 - Jet Nebulizer - Paediatric, CCAC Code NU04 1 - Trach Mask - Paediatric, CCAC Code NU06 1 - Corrugated Tubing (Trach), CCAC Code NU07 	
NU08	DISTILLED WATER (4L)	<p>Distilled Water</p> <ul style="list-style-type: none"> • Must Be Ordered With Code 3210 	
3225	FEEDING PUMP	Kangaroo Joey Feeding Pump	
3225-P	FEEDING PUMP	<p>Kangaroo Joey Pump with Pole Clamp, Power Cord and 5 Wheeled Infusion Pole</p> <ul style="list-style-type: none"> • Must order supply kit • Must order NG tube if applicable 	
3225-B	FEEDING PUMP	<p>Kangaroo Joey Pump with backpack</p> <ul style="list-style-type: none"> • Must order supply kit 	

Feeding Machines & Supplies

Product may not be exactly as shown

LHIN Code	Item	Description	Image
FE01 - SV	FEEDING KIT (OPEN SYSTEM)	<p>Enteral Feeding Kit (Pump) - Small Volume</p> <p>Includes:</p> <ul style="list-style-type: none"> • 14 - Enteral Feed Pump Set 500 ml, LHIN Code FE01 • 3 - Catheter Tip Syringe, 35ml • 1 - Luer Lock Syringe, 30ml <p>Manufacture Code: #762055</p>	
FE01 - LV	FEEDING KIT (OPEN SYSTEM)	<p>Enteral Feeding Kit (Pump) - Large Volume</p> <p>Includes:</p> <ul style="list-style-type: none"> • 14 - Enteral Feed Pump Set 1000 ml, LHIN Code FE02 • 3 - Catheter Tip Syringe, 60ml • 1 - Luer Lock Syringe, 30ml <p>Manufacture Code: #763656</p>	
FE01-FS	FEEDING KIT (OPEN SYSTEM)	<p>Enteral Feeding Kit (Pump) - Flush Set</p> <p>Includes:</p> <ul style="list-style-type: none"> • Enteral Feed Pump Set with 1000 ml Flush Set LHIN Code FE03 • 3 - Catheter Tip Syringe, 60ml • 1 - Luer Lock Syringe, 30ml <p>Manufacture Code: #763662</p>	
FE10	FEEDING KIT (CLOSED SYSTEM)	<p>Enteral Feeding Kit (Pump) - Flush Set</p> <p>Includes:</p> <ul style="list-style-type: none"> • 14 - Enteral Feed Pump Set 1000 ml, LHIN Code FE04 • 3 - Catheter Tip Syringe, 60ml • 1 - Luer Lock Syringe, 30ml <p>Manufacture Code: #765559</p>	
FE10-FS	FEEDING KIT (CLOSED SYSTEM)	<p>Enteral Feed Pump - Safety Screw Spike Set</p> <p>Includes:</p> <ul style="list-style-type: none"> • 14 - Enteral Feed Pump Set 1000 ml, LHIN Code FE05 • 3 - Catheter Tip Syringe, 60ml • 1 - Luer Lock Syringe, 30ml <p>Manufacture Code: #TY765100</p>	


Feeding Machines & Supplies

Product may not be exactly as shown

LHIN Code	Item	Description	Image
FE01-G	FEEDING KIT (GRAVITY SYSTEM)	<p>Enteral Feeding Kit (Gravity)</p> <p>Includes:</p> <ul style="list-style-type: none"> • 14 - Enteral Feed Bag and Tubing • 3 - Catheter Tip Syringe, 60ml • 1 - Luer Lock Syringe, 30ml <p>Manufacture Code: #702505</p>	
FE-PO05	FEEDING SUPPLIES	<p>5 Fr Nasogastric Feed Tube</p> <ul style="list-style-type: none"> • 30 Day 	
FE-FT06	FEEDING SUPPLIES	<p>6.5 Fr Nasogastric Feeding Tube</p>	
FE-PO08	FEEDING SUPPLIES	<p>8 Fr Nasogastric Polyurethane Feed Tube</p> <ul style="list-style-type: none"> • 30 Day 	
SY-60MLOR	FEEDING SUPPLIES	<p>Monojet 60ML Syringe</p>	

Feeding Machines & Supplies

Product may not be exactly as shown

LHIN Code	Item	Description	Image
EN07-4	FEEDING SUPPLIES	Corpak Extention Set	 A photograph of a Corpak Extention Set, which is a long, thin, white plastic tube with a red, bulbous tip and a red, rectangular connector at the other end.




Suction Machines & Supplies

Product may not be exactly as shown

LHIN Code	Item	Description	Image
3235-P	SUCTION ORAL TRACH	Suction Unit - Stationary (Oral and Trach Care) • Must order supply kit Su01-O	
3235	SUCTION ORAL TRACH	Suction Unit - Stationary (Oral and Trach Care) • Must order supply kit SU01-O	
SU01-O	ORAL & TRACH SUCTION KIT	Suction Supplies Kit Includes: • 2 - Canister with Lid (LHIN CODE SU04) • 2 - Connection Tubing • 2 - Tonsil Tip Bulb without Vent	
SU03	SUCTION SUPPLIES	Yankauer bulb tip with vent	
SU06	SUCTION SUPPLIES	Suction catheter • 6 fr thumb control	


Suction Machines & Supplies

Product may not be exactly as shown

LHIN Code	Item	Description	Image
SU08	SUCTION SUPPLIES	Suction catheter • 8 fr thumb control	
SU10	SUCTION SUPPLIES	Suction catheter • 10 fr thumb control	
SU12	SUCTION SUPPLIES	Suction catheter • 12 fr thumb control	
SU14	SUCTION SUPPLIES	Suction Catheter • 14 Fr Thumb Control	
3235-I	GASTRIC SUCTION	Gastric Suction Unit Gomco • Must order supply kit SUNG14-K OR SUNG16-K	

Suction Machines & Supplies

Product may not be exactly as shown

LHIN Code	Item	Description	Image
SUNG14-K	SUCTION SUPPLIES	<p>Gomco Suction Kit</p> <p>Includes:</p> <ul style="list-style-type: none"> • 2 - 14 French Nasogastric Tube • LHIN Code SUNG14 • 2 - Suction Canister (2100ml) with lid and filter • 2 - Two Piece Connective Tubing 	
SUNG16-K	SUCTION SUPPLIES	<p>Gomco Suction Kit</p> <p>Includes:</p> <ul style="list-style-type: none"> • 2 - 16 French Nasogastric Tube • LHIN Code SUNG16 • 2 - Suction Canister (2100ml) with lid and filter • 2 - Two Piece Connective Tubing 	